

Search: • The ACM Digital Library • C The Guide

+abstract:image +abstract:extract +abstract:document +abst





Feedback Report a problem Satisfaction survey

Terms used: image extract document remove

Found 1 of 207,4

Sort results by Display

results

relevance

expanded form

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

Poster presentations: COG Extractor

Steven R. Bagley

October 2006 Proceedings of the 2006 ACM symposium on Document engineering DocEng '06

Publisher: ACM Press

Full text available: Top pdf(316.34 KB) Additional Information: full citation, abstract, references, index terms

The Component Object Graphic (COG) model describes documents as a series of distinct, encapsulated graphical blocks (termed COGs) that are positioned on the page rather than the traditional approach (taken by formats such as PostScript, PDF and SVG) of describing each page as one monolithic block of drawing operators that create marks on the page to form the content. Previous work [1, 2] has demonstrated how this paradigm can be implemented on top of both PDF and SVG. Tools have previously been c ...

Keywords: COGs, FormXObject, PDF, SVG, graphic objects

window

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Real Player

Search: The ACM Digital Library The Guide

+abstract:image +abstract:extract +abstract:document +abst



Nothing Found

Your search for +abstract:image +abstract:extract +abstract:document +abstract:title c not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

• Enter your search terms in <u>lower case</u> with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a <u>phrase</u> in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term must appear on a page.

museum +art

Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us









Search: • The ACM Digital Library • The Guide

+abstract:image +abstract:extract +abstract:document +abst



Nothing Found

Your search for +abstract:image +abstract:extract +abstract:document +abstract:delete did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the <u>Search Tips</u>.

Quick Tips

• Enter your search terms in <u>lower case</u> with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

Enclose a <u>phrase</u> in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

Exclude pages by using a - if a search term <u>must not appear</u> on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

. museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us









Search: © The ACM Digital Library C The Guide

+abstract:image +abstract:extract +abstract:title +abstract:d



Nothing Found

Your search for +abstract:image +abstract:extract +abstract:title +abstract:delete did no return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

• Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term must appear on a page.

museum +art

Exclude pages by using a - if a search term <u>must not appear</u> on a page.


museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us







Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((image <and> extract <and> document <and> creator <and> remove)<in>m..."

Œ٤

Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((image <and> extract <and> document <and> creator <and> remove)<in>metadata

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IET JNL

IEEE JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need ass

search.

Indexed by inspec' Contact Us Priva

© Copyright 2006 IE



Home | Login | Logout | Access Information | Alt

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((image <and> extract <and> document <and> name <and> remove)<in>meta..."

Œ٤

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((image <and> extract <and> document <and> name <and> remove)<in>metadata)

Check to search only within this results set

» Key

Display Format: © Citation C Citation & Abstract

IEEE JNL

IEEE Journal or

Magazine

IET Journal or Magazine

IET JNL IEEE CNF

IET CNF

IEEE Conference

Proceeding

.IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found. -

Please edit your search criteria and try again. Refer to the Help pages if you need ass

search.

Indexed by 可Inspec*

Contact Us Priva Help

© Copyright 2006 IE



Home | Login | Logout | Access Information | Alt

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((image <and> extract <and> document <and> title <and> delet)<in>meta..."

Œε

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((image <and> extract <and> document <and> title <and> delet)<in>metadata)

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE JNL

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

Sea

Display Format:

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need ass

search.

Contact Us Priva

© Copyright 2006 IE

indexed by inspec'



Home | Login | Logout | Access Information | Ale

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

· IEEE XPLORE GUIDE

Results for "((image <and> extract <and> document <and> title <and> remove)<in>met..."

Œ€

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((image <and> extract <and> document <and> title <and> remove)<in>metadata)

Sea

Check to search only within this results set

» Key

IEEE Journal or

Magazine

IEEE JNL

IET CNF

IET Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

. __.

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need ass

earch

Indexed by
in Inspec*

Help Contact Us Priva

© Copyright 2006 IE

Web Images Video News Maps Gmail more ▼

Sign in

<u>Google</u>

image extract delete creator name

Search Advanced Search Preferences

New! View and manage your web history

Web Results 1 - 10 of about 1,610,000 English pages for image extract delete creator name . (0.13 second

Using MagicISO to create ISO image files

Ability to directly add/delete/rename/extract file(s) within image files. ... Please view here for get more detail about ISO creator. ...

www.magiciso.com/download.htm - 71k - Cached - Similar pages

VeryPDF - PDF Writer, PDF Creator, PDF Converter, Convert PDF to ... PDF Extract TIFF software is a simple and affordable extraction tool that facilitates the reuse of PDF files by enabling you to extract images from PDF ... www.verypdf.com/ - 46k - Cached - Similar pages

Extract a Selection from Photo in Photoshop tutorial

Learn how to extract selections from photos and other images through ... Press delete to delete the white and then press Ctrl-D to delete the selection. ... www.2dvalley.com/tutorials/extract_photo_selection.shtml - 36k - Cached - Similar pages

Free Watermark Software - Download Watermark Software ...

Watermarks can contain text (phrase, file **name** and number), **image**, insert and append-pages, **delete** pages, **extract** pages to a seperate file. ... watermark alienpicks.com/ - 49k - Jul 31, 2007 - <u>Cached</u> - <u>Similar pages</u>

WinISO Download - WinISO is a utility to convert CD-ROM ...

With WinISO, you can add/delete/rename/extract file(s) within image files. With WinIcons you can replace, change hint, change the name for standard ... www.downloadatoz.com/utility_directory/winiso/index.html - 27k - Cached - Similar pages

MS Word Extract Images From Multiple Documents Software 7.0 - In ...

In one or many MS Word files, **extract images** found within each file and save each ... Rename Folders Software - Change **name** of many folders and subfolders. ... pcwin.com/Business___Finance/

MS_Word_Extract_Images_From_Multiple_Documents_Software/index.htm - 53k - Cached - Similar pages

Excel Extract Images From Multiple Workbooks Software 7.0 - In one ...

In one or many MS Excel files, **extract images** found within each file and save each **image** ... Also, **delete** and rename sheets. Excel 2000 or higher required. ... pcwin.com/Business Finance/Excel **Extract**

Images_From_Multiple_Workbooks_Software/index.htm - 53k - <u>Cached</u> - <u>Similar pages</u> [<u>More results from powin.com</u>]

Theme Creator Pro :: History

fixed copy/move/delete/rename (CMDR) problem (has effected the extract function ... the name of the progam was renamed to Theme Creator Pro (short TCPro) ... tcpro.lasyk.net/history.htm - 17k - <u>Cached</u> - <u>Similar pages</u>

Download MagicISO 5.4.0.239 Free - Create Extract Burn Edit ...

Ability to directly add/delete/rename/extract file(s) within image files. ... Extract Name & Address Contacts From Multiple Text & HTML Files Software 7.0 ... www.download3k.com/System-Utilities/File-Disk-Management/Download-MagicISO.html - 34k - Aug 1, 2007 - Cached - Similar pages

Sun Java Studio Creator 2 - Tutorials - Creating a Theme

Extract the contents of the defaulttheme-gray.jar file into the test directory, then **delete** the defaulttheme-gray.jar file. ...

developers.sun.com/jscreator/learning/tutorials/2/themes.html - 38k -

Web Images Video News Maps Gmail more ▼

Sign in

<u>Google</u>

image extract delete creator name application Search Advanced Search Preferences
New! View and manage your web history

Web Results 1 - 10 of about 1,640,000 English pages for image extract delete creator name application.

DB Maker free download. DataBase Maker allows you to extract ... Celebrity Magnet is a personal image search engine with a particular ... pending delete, and recently expired domain names through search engine looku. ... www.freedownloadscenter.com/Network_and_Internet/
Web Searching_Tools/DB_Maker.html - 25k - Cached - Similar pages

VeryPDF - PDF Writer, PDF Creator, PDF Converter, Convert PDF to ...

PDF Extract TIFF software is a simple and affordable extraction tool that ... PDF To Image Converter (PDF2Image) is an application program based on Windows ...

www.verypdf.com/ - 46k - Cached - Similar pages

Using MagicISO to create ISO image files

Ability to directly add/**delete**/rename/**extract** file(s) within **image** files. ... Please view here for get more detail about ISO **creator**. ... www.magiciso.com/download.htm - 71k - <u>Cached</u> - <u>Similar pages</u>

<u>Sun Java Studio Creator 2 - Tutorials - Creating a Theme</u>

<u>Extract</u> the contents of the defaulttheme-gray jar file into the test directory, then **delete** the

defaulttheme-gray jar file. ...
developers.sun.com/jscreator/learning/tutorials/2/themes.html - 38k Cached - Similar pages

exiftool - Read and write meta information in files - search.cpan.org
-XMP:Creator). Any family 0 or 1 group name may be used, and the group Extract image resolution from EXIF IFD1 information (thumbnail image IFD). ... search.cpan.org/dist/Image-ExifTool/exiftool - 58k - Cached - Similar pages

Image To PDF(PDF E-Book Maker) v.1.80 Download - Create a PDF file ... Image2PDF Converter is an application program based on Windows platform, which can directly ... Batch extract images from pdf file and save as tiff images ... www.filedudes.com/Image_To_PDF_PDF_E_Book_Maker_-download-16506.html - 37k - Cached - Similar pages

Icon Duplicate Software

Search duplicate file contents regardless of file **name** * Search duplicate pasted into any **application**, document, or other environment supporting **image** ... www.filedudes.com/files/Icon_Duplicate.html - 54k - <u>Cached</u> - <u>Similar pages</u> [<u>More results from www.filedudes.com</u>]

Free Watermark Software - Download Watermark Software ...

Watermarks can contain text (phrase, file **name** and number), **image**, insert and append pages, **delete** pages, **extract** pages to a seperate file. ... watermark.alienpicks.com/ - 49k - Jul 31, 2007 - <u>Cached</u> - <u>Similar pages</u>

Softonic Softonic > Windows search for "img"

Basic features like: add, extract, delete, rename, run, view, checkout, install, test, ... Search Mac disks for specific files by type, creator or extension ... en.softonic.com/search/img/rss - 27k - Cached - Similar pages

Software Download: Metadata

The software **application** inserts information about an initial **name**, Audio Video IFilter can **extract** two kinds of text metadata: standard ASF files (WMA ... www.sharewareconnection.com/titles/metadata.htm - 95k - <u>Cached</u> - <u>Similar pages</u>

Web Images Video News Maps Gmail more ▼

Sign in

Google

image extract delete creator name keyword

Search Advanced Search

New! View and manage your web history

Web Results 1 - 10 of about 914,000 English pages for image extract delete creator name keyword. (0.09

<u>Update swf file downloads - SWF Picture Extractor, Flash Digger ...</u>
SWF Picture Extractor (Extract images from SWF files), Flash Digger Lite ... Keywords: flash extractor, Play SWF files, update swf file, video to swf ...
www.vicman.net/lib/update-swf-file.htm - 38k - Cached - Similar pages

Text Extractor downloads - HTML Text Extractor, Midas Extractor ...

Keywords: image, flash, kerio mailserver, zip viewer, restore ... Extractor is an email extractor, is designed to harvest e-mail addresses and user names ...

www.vicman.net/lib/text-extractor.htm - 51k - Cached - Similar pages

[More results from www.vicman.net]

Link software

Related **keywords**: link popularity, link checker, link management, Abander MP3 **Image Extractor** is a free and easy-to-use MP3 Tag Editor and MP3 **Image** ... www.allworldsoft.com/**keyword**s/link/ - <u>Similar pages</u>

Software Download: Metadata

You can then search through all the files using boolean expressions and full text search, view them, extract images, extract text, Split, Merge, Stamp text, ... www.sharewareconnection.com/titles/metadata.htm - 95k - Cached - Similar pages

coding: utf-8 -*- ## Python bindings for GNU libextractor ...

Use the **extract** method to obtain **keywords** from a file. Invoke with a string with the **name** of the library that should be added. ... https://gnunet.org/svn/**Extract**or-python/**extract**or.py - 14k - <u>Cached</u> - <u>Similar pages</u>

Product Specific Support - Blue Stream

<META name="keywords" content="list, keywords, here"> ... On the first page, delete the "yourlogohere" image, add your image and save the page, ... www.jgtemplates.com/learn/product/bluestream.asp - 28k - <u>Cached</u> - <u>Similar pages</u>

Free Download Soft Software - Download Download Soft Software ... Search and extract links (URL or Email) from pages or files. ... selection of source and result directories; - add (add all) / remove (remove all) image. ...

download-soft.alienpicks.com/ - 44k - Cached - Similar pages

Roxio Easy Media Creator 8 - Printer Friendly version

Find media files quickly and easily by searching on file names, keywords, comments, or file type. Make minor touch ups to photos, extract images and audio ... www.cdrinfo.com/Sections/Reviews/Print.aspx?ArticleId=15823 - 45k - Cached - Similar pages

Iso files extractor section at Free Download Manager

Keywords: Iso, disk, **extractor**, disk encryption, **image** (such as directory, domain and file **names**, types of files, their size or any other properties). ... www.freedownloadmanager.org/downloads/iso_files_extractor_info/ - 69k - Cached - Similar pages

Internet Archive Search: subject:"RENAMER"

Keywords: File and mp3 tag renamer; Multimedia; Audio; ID3 tag editors; File and mp3 tag ... It allows you to keep movie, music, **image** and other files **names** ... www.archive.org/search.php?query=subject%3A%22RE**NAME**R%22 - 40k - Cached - Similar pages

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	742	(delet\$3 remov\$3 extract\$3) near5 document\$3 near5 (name\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 09:59
L2	56°	(data near5 stor\$4 near5 extract\$4 near5 delet\$4) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 10:00
L3	5245	extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3) near5 imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 10:01
L4	23	1 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 10:01
S1	27232	extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 10:00
S2	227	(extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:51
S3	2	(extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same (client\$4 near5 (delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:25
S4	2	(extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same (client\$4 near10 (delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:46
S5	2	((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) same (client\$4) same (network\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:46

S6	2	(extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same (client\$4 near10 (delet\$4 remov\$4 cut\$4) near10 extract\$4 near10 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:46
S7	5	(extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:48
S8	203	(extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:25
S9	14	(extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same (client\$4 near5 (delet\$4 remov\$4 cut\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:48
S10	192	((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4))) and (client and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:49
S11	179	((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4))) and (client same network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2004/12/20 11:25
S12	20	((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4))) and ((client near5 delet\$4) same network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:50
S13	33245	extract\$4 near7 (information data) near7 (stor\$4 database\$4 disk\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:51
S14	301	(extract\$4 near7 (information data) near7 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:52

S15	227	((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) and ((extract\$4 near7 (information data) near7 (stor\$4 database\$4 disk\$3)) same ((delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:52
S16	2	remov\$4 cut\$4) near5 extract\$4 near5 (information data))) ((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same (client\$4 near5 (delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) and (((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:52
		extract\$4 near5 (information data))) and ((extract\$4 near7 (information data) near7 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))))				
S17	2	(((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) same (client\$4) same (network\$3)) and (((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) and ((extract\$4 near7 (information data) near7 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:53
S18	13	(((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4))) and (client and network)) and (((extract\$4 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) and ((extract\$4 near7 (information data) near7 (stor\$4 database\$4 disk\$3)) same ((delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))) and (formation data))) and (formation data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:53

S19	2	network\$4 near5 (client\$4 user\$4 node\$3) near5 (extract\$4 and delet\$4) near5 (information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2004/02/10 13:56
S20	348	(client\$4 user\$4 node\$3) near5 (extract\$4 and delet\$4) near5 (information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:58
S21	303	((client\$4 user\$4 node\$3) near5 (extract\$4 and delet\$4) near5 (information data)) and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:57
S22	3	((client\$4 user\$4 node\$3) near5 (extract\$4 and delet\$4) near5 (information data)) and (decid\$4 near5 delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:58
S23	12	network same (client\$4 user\$4 node\$3) near5 (extract\$4 and delet\$4) near5 (information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:00
S24	276	(client\$4 user\$4) near5 (extract\$4 and delet\$4) near5 (information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:02
S25	28	input\$4 same stor\$4 same extract\$3 same decid\$4 same delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:07
S26	5	(input\$4 same stor\$4 same extract\$3 same decid\$4 same delet\$4) AND network\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:04
S27	8269	(data information) same (insert\$4 input\$4) same (stor\$4 save) same delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:08
S28	27593	(data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:11

				· · · · · · · · · · · · · · · · · · ·	r	
S29	0	((data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4)) and (network\$4 same cleint\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:09
S30	2986	((data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4)) and (network\$4 same client\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:09
S31	2986	((data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4)) and (network\$4 same client\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:10
S32	34	(((data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4)) and (network\$4 same client\$4)) and (decid\$4 decision\$4) near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:12
S33 `	1182	(data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4) same (extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:11
S34	80	((data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4) same (extract\$4)) and (client\$4 same network\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:11
S35	12	((data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4) same (extract\$4)) and (decid\$4 decision\$4) near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/02/10 14:12
S36	4	(((data information) same (insert\$4 input\$4) same (stor\$4 sav\$4) same (delet\$4 remov\$4) same (extract\$4)) and (decid\$4 decision\$4) near5 delet\$4) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:17
S37	48	data near5 stor\$4 near5 extract\$4 near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:18
S38	24	(data near5 stor\$4 near5 extract\$4 near5 delet\$4) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 10:00

,	.,					,
S39	2689	data near5 (stor\$4 sav\$4) near5 determin\$4 near5 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:22
S40	29	data near5 (stor\$4 sav\$4) near5 pre-determin\$4 near5 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:22
S41	24	(data near5 stor\$4 near5 extract\$4 near5 delet\$4) and ((data near5 stor\$4 near5 extract\$4 near5 delet\$4) and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:26
S42	1	"6620207".pn. and (extract\$4 same stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 10:23
S43	0	"6434533.pn" and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 11:16
S44	1	"6434533".pn. and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 11:16
S45	9	extract\$4 near5 (email e-mail) near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 15:36
S46	12	(extract\$4 near5 (e-mail email (electronic near5 messag\$4)) and (e-mail email (electronic near5 messag\$4)) near5 delet\$4) and (client\$4 near5 delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2004/06/22 15:38
S47	147	extract\$4 near5 (e-mail email (electronic near5 messag\$4)) and (e-mail email (electronic near5 messag\$4)) near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 15:53
S48	292	retriev\$4 near5 (e-mail email (electronic near5 messag\$4)) and (e-mail email (electronic near5 messag\$4)) near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 15:53

	,	,			,	.,
S49	71	retriev\$4 near5 (e-mail email (electronic near5 messag\$4)) same (e-mail email (electronic near5 messag\$4)) near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:03
S50	1057	(e-mail email (electronic near5 messag\$4)) near5 delet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:04
S51	227	((e-mail email (electronic near5 messag\$4)) near5 delet\$4) AND (PREDETERMIN\$4 NEAR5 tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:05
S52	24	((e-mail email (electronic near5 messag\$4)) near5 delet\$4) same (PREDETERMIN\$4 NEAR5 tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/22 16:05
S53	25	(input\$4 near5 featur\$4) same (stor\$4 near5 featur\$4) same (delet\$4 near5 featur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 11:41
S54	20	(input\$4 near5 IMAG\$3 NEAR5 featur\$4) AND (stor\$4 near5 featur\$4) AND (delet\$4 near5 featur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 12:02
S55	13	((input\$4 near5 IMAG\$3 NEAR5 featur\$4) AND (stor\$4 near5 featur\$4) AND (delet\$4 near5 featur\$4)) AND (FEATUR\$4 NEAR5 EXTRACT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 11:51
S56	0	"5659639".pn. AND (FEATUR\$4 NEAR5 EXTRACT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 11:51
S57	1	"5659639".pn. AND (FEATUR\$4 same EXTRACT\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 11:52
S58	46	(IMAG\$3 NEAR5 featur\$4) AND (stor\$4 near5 featur\$4) AND (delet\$4 near5 featur\$4) and (extract\$4 near5 featur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 12:03

S59	19788	imag\$4 near5 scan\$4 near9 (sav\$4 stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 15:56
S60	0	(imag\$4 near5 scan\$4 near9 (sav\$4 stor\$4)) and (featur\$4 near5 extrtact\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 15:57
S61	663	(imag\$4 near5 scan\$4 near9 (sav\$4 stor\$4)) and (featur\$4 near5 extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2004/11/01 15:57
S62	46	(imag\$4 near5 scan\$4 near9 (sav\$4 stor\$4)) and (featur\$4 near5 delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 15:57
S63	29	((imag\$4 near5 scan\$4 near9 (sav\$4 stor\$4)) and (featur\$4 near5 delet\$4)) and (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 16:03
S64	. 1	"5659639".pn. and (feature\$4 same extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 16:04
S65	1	(((imag\$4 near5 scan\$4 near9 (sav\$4 stor\$4)) and (featur\$4 near5 delet\$4)) and (network)) and ("5659639".pn. and (feature\$4 same extract\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2004/11/01 16:03
S66	1	"5659639".pn. and (extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 11:04
S67	1	(((((imag\$4 near5 scan\$4 near9 (sav\$4 stor\$4)) and (featur\$4 near5 delet\$4)) and (network)) and ("5659639".pn. and (feature\$4 same extract\$4))) and ("5659639".pn. and (extract\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 16:04
S68	2	"5659639".pn. and (featur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 11:22

S69	1	("5659639".pn. and (featur\$4)) and ("5659639".pn. and (extract\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2004/11/02 11:05
S70	1	"5659639".pn. and (extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 11:07
S71	2	"5659639".pn. and (image same featur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 11:09
S72	. 1	"5659639".pn. and (delet\$4 near10 featur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 11:22
S73	3	"6701346".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 10:42
S74	1	S73 and (delet\$4 near5 messag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2004/12/20 10:42
S75	26666	extract\$2 near5 (information data) near5 (stor\$4 database\$4 disk\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:25
S76	2	(extract\$2 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) same (client\$4 near5 (delet\$4 remov\$4 cut\$4) near5 extract\$4 near5 (information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:25
S77	196	((extract\$2 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4))) and (client same network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:25
S78	228	(extract\$2 near5 (information data) near5 (stor\$4 database\$4 disk\$3)) and (client\$4 near5 (delet\$4 remov\$4 cut\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:25

S79	0	extract\$4 near5 titl\$4 near5 dat\$4 near5 creato\$4 near5 (file\$4 near5 nam\$3) near5 (application\$4 near5 name\$4) near5 keyword\$4 near5 text\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:39
S80	2	extract\$4 near5 titl\$4 and dat\$4 and creato\$4 and (file\$4 near5 nam\$3) and (application\$4 near5 name\$4) and keyword\$4 and text\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:41
S81	0	removt\$4 near5 titl\$4 and dat\$4 and creato\$4 and (file\$4 near5 nam\$3) and (application\$4 near5 name\$4) and keyword\$4 and text\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:41
S82	0	cutt\$4 near5 titl\$4 and dat\$4 and creato\$4 and (file\$4 near5 nam\$3) and (application\$4 near5 name\$4) and keyword\$4 and text\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:41
S83	0	cut\$4 near5 titl\$4 and dat\$4 and creato\$4 and (file\$4 near5 nam\$3) and (application\$4 near5 name\$4) and keyword\$4 and text\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:41
S84	3	delet\$4 near5 titl\$4 and dat\$4 and creato\$4 and (file\$4 near5 nam\$3) and (application\$4 near5 name\$4) and keyword\$4 and text\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:41
S85	24256	extract\$4 near5 featur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:51
S86	126	S85 and (extract\$4 near5 titl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:55
S87	28	S85 and (extract\$4 near5 creato\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:48
S88	1206	S85 and (extract\$4 near5 text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:52

S89	23	S87 and (extract\$4 near5 text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:49
S90	1	S89 and (extract\$4 near5 keyword\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:49
S91	4573	retriev\$4 near5 featur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:51
S92	38	S91 and (extract\$4 near5 titl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/05/20 16:51
S93	25	S92 and (extract\$4 near5 text\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 16:52
S94	49	S85 and (extract\$4 near5 (whol\$4 entir\$4 full\$3) near5 text\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:12
S95	0	"6801902".pn. and (extract\$4 same creat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:13
S96	1	"6801902".pn. and (extract\$4 same nam\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:13
S97	Ó	"6801902".pn. and (extract\$4 same keyword\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:14
S98	0	"6801902".pn. and (extract\$4 same application\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:14

			,			,
S99	2	"6801902".pn. and (extract\$4 same fil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:16
S10 0	2	"6801902".pn. and (extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:17
S10 1	3	"6701346".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 17:41
S10 2	6	(client\$3 user\$3 network\$4) near5 (send\$3 transfer\$3 transmit\$3 request\$4) near5 (extract\$4 retriev\$4 pull\$4) near5 (delet\$4 remov\$4 clean\$3) near5 (document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:37
S10 3	109	(client\$3 user\$3 network\$4) near5 (send\$3 transfer\$3 transmit\$3 request\$4) near5 (delet\$4 remov\$4 clean\$3) near5 (document\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:37
S10 4	0	(client\$3 user\$3 network\$4) near5 (send\$3 transfer\$3 transmit\$3 request\$4) near5 (delet\$4 remov\$4 clean\$3) near5 (document\$4) near5 featur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:38
S10 5	4	(client\$3 user\$3 network\$4) near5 (send\$3 transfer\$3 transmit\$3 request\$4) near5 (delet\$4 remov\$4 clean\$3) near5 (document\$4) near5 content\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:40
S10 6	198	(client\$3 user\$3 network\$4) near5 (send\$3 transfer\$3 transmit\$3 request\$4) near5 (delet\$4 remov\$4 clean\$3) near5 content\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:40
S10 7	72	S106 and (web document\$4) near5 (featur\$4 content\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:41
S10 8	15	S106 and (web document\$4) near5 (featur\$4 content\$4) near5 (extract\$4 retriev\$4 remov\$4 delet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:41

010		2002/0007402	LIC DODIED	0.0	055	2005/40/20 40 24
\$10 9	0	2002/0007402 and (user\$4 near5 retriev\$4 near5 content\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:31
S11 0		2002/0007402	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:32
S11 1	0	2002/0007402 and (user\$4 same retriev\$4 same content\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:32
S11 2	1	2002/0007402 and (user\$4 same retriev\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:31
S11 3		"20020007402" and (user\$4 same retriev\$4 same content\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/28 14:08
S11 4	1	"20020007402" and (user\$4 same delet\$4 same content\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 14:08
S11 5	8483	(delet\$3 remov\$3) near5 confirm\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/09/01 14:47
S11 6	6	(delet\$3 remov\$3) near5 confirm\$3 near5 document\$3 near5 (portion\$3 part\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:37
S11 7	198	S115 and predetermin\$3 near5 condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:48

		· · · · · · · · · · · · · · · · · · ·				
S11 8	24334	(remov\$3 delet\$3) near5 (document\$3 text\$3 email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:48
S11 9	560	S118 and predetermin\$3 near5 condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:51
S12 0	24	S118 same predetermin\$3 near5 condition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:49
S12 1	6	S120 and @ad<"20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:50
S12 2	239	S119 and @ad<"20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:50
S12 3	14	S119 and predetermin\$3 near5 condition near5 delet\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 14:51
S12 4	8469	extract\$4 near5 (imag\$3) near5 featur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:00
S12 5	55	(delet\$3 remov\$3) near5 extract\$4 near5 (imag\$3) near5 featur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:05
S12 6	14	S125 and (network\$2 internet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:07
S12 7	5	S126 and @ad<"20000101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:02

	1		1	F		
S12 8	. 6	(delet\$3 remov\$3) near5 (retriev\$4) near5 (imag\$3) near5 featur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:06
S12 9	854	(delet\$3 remov\$3) near5 (imag\$3) near5 featur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:06
S13 0	309	S129 and (network\$2 internet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:07
S13 1	66	S130 and @ad<"20000101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:07
S13 2	. 22	S124 and S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	·OR	ON	2007/01/31 18:08
S13 3	55	(delet\$3 remov\$3) near5 extract\$4 near5 (imag\$3) near5 featur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 10:38
S13 4	. 857	(delet\$3 remov\$3) near5 (imag\$3) near5 featur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 10:38
S13 7	3	S134 and extract\$4 near5 (image\$3 near5 featur\$3) near5 (user\$3 cleint\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 10:39
S13 8	22	featur\$3 near5 imag\$3 near5 (delet\$3 remov\$3) near5 (command\$3 determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:54
S13 9	23	featur\$3 near5 imag\$3 near5 (delet\$3 remov\$3) near5 (command\$3 determin\$3 request\$3 ask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 14:32

(<u></u>	,			
S14 0	23	featur\$3 near5 imag\$3 near5 (delet\$3 remov\$3) near5 (command\$3 determin\$3 request\$3 ask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 14:33
S14 1	10	S140 and (internet\$3 network\$3 web\$3 remot\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 14:33
S14 2	19	(US-20020052872-\$ or US-20020007402-\$ or US-20010034743-\$).did. or (US-6658456-\$ or US-6311210-\$ or US-5659639-\$ or US-6684219-\$ or US-6683984-\$ or US-5696844-\$ or US-4685068-\$ or US-5731879-\$ or US-6701346-\$ or US-6807303-\$ or US-6128102-\$ or US-6801902-\$ or US-5537586-\$ or US-5550977-\$ or US-6631212-\$ or US-6999614-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/23 14:38
S14 3	10	S142 AND image\$3 near5 featur\$3	US-PGPUB; USPAT	OR,	ON	2007/05/23 14:38
S14 4	3	S142 AND image\$3 near5 featur\$3 near5 delet\$3	US-PGPUB; USPAT	OR	ON	2007/05/23 14:38
S14 5	805304	S144 and network remot\$3 internet	US-PGPUB; USPAT	OR	ON	2007/05/23 14:38
S14 6	. 2	S144 and (network remot\$3 internet)	US-PGPUB; USPAT	OR	ON	2007/05/23 14:38
S14 7	370	(delet\$3 remov\$3 extract\$3) near5 document\$3 near5 (titl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:41
S14 8	1296	(delet\$3 remov\$3 extract\$3) near5 document\$3 near5 (creat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:41
S14 9	742	(delet\$3 remov\$3 extract\$3) near5 document\$3 near5 (name\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 09:59

S15 0	0	(delet\$3 remov\$3 extract\$3) near5 document\$3 near5 (crea5\$3) near5 (tim\$3 dat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:43
S15 1	10	S147 and S148 and S149	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 16:43